

STATE OF  
COLORADO

Knerr - CDPHE, Lisa &lt;lisa.knerr@state.co.us&gt;

**Re: Non-Standard MS4 permit**

1 message

**Parish - CDPHE, Meg** <meg.parish@state.co.us>

Thu, Jun 13, 2019 at 3:07 PM

To: Forrest Dykstra &lt;FDykstra@highlandsranch.org&gt;

Cc: "mary.welch@state.co.us" <mary.welch@state.co.us>, "poconnel@co.jefferson.co.us" <poconnel@co.jefferson.co.us>, Bonnie Begert <bonnie.begert@bvsvd.org>, "Cordery,Susanne" <susanne.cordery@colostate.edu>, Dani-Ella Betz <dbetz@semswa.org>, Derek Slack <dslack@e-470.com>, Geoff Mills <geoff.c.mills@adams12.org>, Jason Trujillo <jason.trujillo@state.co.us>, Jennifer Keyes <jkeyes@wrightwater.com>, Jess Arnold <jess.arnold@thompsonschoools.org>, Joni Rix <joni\_rix@dpsk12.org>, Kathy Junglen <Kathy.junglen@tetrattech.com>, Kim MacDonnell <kim.macdonnell@jeffco.k12.co.us>, Lanae Raymond <lraymond@semswa.org>, Lisa Schwien <lisaschwien@kennedyjenks.com>, liz <liz@mulhernmre.com>, Paige Coufal <Paige.R.Coufal@imegcorp.com>, Rita Davis <lidavis@aurorak12.org>, Sherry Reed <sreed@uccs.edu>, Dmitry Tepo - DNR <dmitry.tepo@state.co.us>, Troy Nedved <troy@rtcivil.com>, "william.fieselmann" <william.fieselmann@gsa.gov>, Zach Nannestad <zlnannestad@dcsdk12.org>, Lisa Knerr - CDPHE <lisa.knerr@state.co.us>

Dear Forrest - Thanks so much for your note and request. We agree and are publishing this draft with a 60-day public comment period. It should be up on our Public Notice website tomorrow, <https://www.colorado.gov/pacific/cdphe/cdphe/wq-public-notice-actions>

If you are interested, we would like to have an informal meeting with you and other non-standard permittees in July to answer any questions you may have about the draft. Lisa or Mary will be reaching out this week or next with some dates.

Best,

Meg Parish

Meg Parish  
Permits Section Manager



**COLORADO**  
Water Quality Control Division  
Department of Public Health & Environment

P 303-692-3419 | F 303-782-0390  
4300 Cherry Creek Drive South, Denver, CO 80246  
[meg.parish@state.co.us](mailto:meg.parish@state.co.us)

On Thu, Jun 13, 2019 at 2:28 PM Forrest Dykstra <[FDykstra@highlandsranch.org](mailto:FDykstra@highlandsranch.org)> wrote:

Hi Mary,

On behalf of the Colorado Stormwater Council Non-Standard Committee, I would like to request an additional 30-45 days for the comment period for the draft Non-Standard MS4 permit. Due to the complexity of the Non-Standard permittees and their different responsibilities and legal authority, I am sure it will require a significant effort to address these issues and respond appropriately within the typical 30 days. A comment period of 60 or 75 days would be more appropriate and allow the parties to work together to have a permit that accomplishes the goals set forth in the Clean Water Act.

Thank you for your attention to my request.

Sincerely,

Forrest Dykstra

Chair,

Colorado Stormwater Council Non -Standard Committee